



Koolen-de Vries syndrome

Koolen-de Vries syndrome is a disorder characterized by developmental delay and mild to moderate intellectual disability. People with this disorder typically have a disposition that is described as cheerful, sociable, and cooperative. They usually have weak muscle tone (hypotonia) in childhood. About half have recurrent seizures (epilepsy).

Affected individuals often have distinctive facial features including a high, broad forehead; droopy eyelids (ptosis); a narrowing of the eye openings (blepharophimosis); outer corners of the eyes that point upward (upward-slanting palpebral fissures); skin folds covering the inner corner of the eyes (epicanthal folds); a bulbous nose; and prominent ears. Males with Koolen-de Vries syndrome often have undescended testes (cryptorchidism). Defects in the walls between the chambers of the heart (septal defects) or other cardiac abnormalities, kidney problems, and skeletal anomalies such as foot deformities occur in some affected individuals.

Frequency

The prevalence of Koolen-de Vries syndrome is estimated to be 1 in 16,000. However, the underlying genetic cause is often not identified in people with intellectual disability, so this condition is likely underdiagnosed.

Genetic Changes

Koolen-de Vries syndrome is caused by genetic changes that eliminate the function of one copy of the *KANSL1* gene in each cell. Most affected individuals are missing a small amount of genetic material, including the *KANSL1* gene, from one copy of chromosome 17. This type of genetic abnormality is called a microdeletion. A small number of individuals with Koolen-de Vries syndrome do not have a chromosome 17 microdeletion but instead have a mutation within the *KANSL1* gene that causes one copy of the gene to be nonfunctional.

The microdeletion that causes Koolen-de Vries syndrome occurs on the long (q) arm of chromosome 17 at a location designated q21.31. While the exact size of the deletion varies among affected individuals, most are missing a sequence of about 500,000 DNA building blocks (base pairs) containing several genes. However, because individuals with *KANSL1* gene mutations have the same signs and symptoms as those with the microdeletion, researchers have concluded that the loss of this gene accounts for the features of this disorder.

The *KANSL1* gene provides instructions for making a protein that helps regulate gene activity (expression) by modifying chromatin. Chromatin is the complex of DNA and protein that packages DNA into chromosomes. The protein produced from the *KANSL1*

gene is found in most organs and tissues of the body before birth and throughout life. By its involvement in controlling the activity of other genes, this protein plays an important role in the development and function of many parts of the body. Loss of one copy of this gene impairs normal development and function, but the relationship of *KANSL1* gene loss to the specific signs and symptoms of Koolen-de Vries syndrome is unclear.

Inheritance Pattern

Koolen-de Vries syndrome is considered an autosomal dominant condition because a deletion or mutation affecting one copy of the *KANSL1* gene in each cell is sufficient to cause the disorder. In most cases, the disorder is not inherited. The genetic change occurs most often as a random event during the formation of reproductive cells (eggs and sperm) or in early fetal development. Affected people typically have no history of the disorder in their family. While it is possible for them to pass the condition on to their children, no individuals with Koolen-de Vries syndrome have been known to reproduce.

Most people with Koolen-de Vries syndrome caused by a deletion have had at least one parent with a common variant of the 17q21.31 region of chromosome 17 called the H2 lineage. This variant is found in 20 percent of people of European and Middle Eastern descent, although it is rare in other populations. In the H2 lineage, a 900 kb segment of DNA, which includes the region deleted in most cases of Koolen-de Vries syndrome, has undergone an inversion. An inversion involves two breaks in a chromosome; the resulting piece of DNA is reversed and reinserted into the chromosome.

People with the H2 lineage have no health problems related to the inversion. However, genetic material can be lost or duplicated when the inversion is passed to the next generation. Other, unknown factors are thought to play a role in this process. So while the inversion is very common, only an extremely small percentage of parents with the inversion have a child affected by Koolen-de Vries syndrome.

Other Names for This Condition

- 17q21.31 deletion syndrome
- 17q21.31 microdeletion syndrome
- chromosome 17q21.31 microdeletion syndrome
- *KANSL1*-related intellectual disability syndrome
- KDVS
- Koolen syndrome
- microdeletion 17q21.31 syndrome
- monosomy 17q21.31

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Koolen-de Vries syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1864871/>

Other Diagnosis and Management Resources

- GeneReview: KANSL1-Related Intellectual Disability Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK24676>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Developmental Disabilities
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Epilepsy
<https://medlineplus.gov/epilepsy.html>

Genetic and Rare Diseases Information Center

- Koolen de Vries syndrome
<https://rarediseases.info.nih.gov/diseases/10727/koolen-de-vries-syndrome>

Additional NIH Resources

- National Human Genome Research Institute: Chromosomal Abnormalities
<https://www.genome.gov/11508982/>

Educational Resources

- Centers for Disease Control and Prevention: Intellectual Disability
https://www.cdc.gov/ncbddd/actearly/pdf/parents_pdfs/IntellectualDisability.pdf
- Disease InfoSearch: 17q21.31 Microdeletion Syndrome
<http://www.diseaseinfosearch.org/17q21.31+Microdeletion+Syndrome/9>
- MalaCards: koolen-de vries syndrome
http://www.malacards.org/card/koolen_de_vries_syndrome
- March of Dimes: Chromosomal Conditions
<http://www.marchofdimes.org/baby/chromosomal-conditions.aspx>
- My46 Trait Profile
<https://www.my46.org/trait-document?trait=Koolen-De%20Vries%20syndrome&type=profile>
- Orphanet: Koolen-De Vries syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=96169
- Unique: Rare Chromosome Disorder Support Group Koolen-de Vries Syndrome Information Booklet
<http://www.rarechromo.org/information/Chromosome%2017/Koolen-De%20Vries%20syndrome%20FTNW.pdf>

Patient Support and Advocacy Resources

- Chromosome Disorder Outreach
<http://chromodisorder.org/>
- Supporting Families with Koolen-de Vries Syndrome
<https://supportingkdvs.org/>
- Unique: Rare Chromosome Disorder Support Group
<http://www.rarechromo.org/html/home.asp>
- University of Kansas: Support Groups for Chromosomal Disorders
<http://www.kumc.edu/gec/support/chromoso.html>

GeneReviews

- KANSL1-Related Intellectual Disability Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK24676>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%2817q21.31+microdeletion+syndrome%5BTIAB%5D%29+OR+%28%2817q21.31%5BTIAB%5D%29+AND+%28microdeletion%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- KOOLEN-DE VRIES SYNDROME
<http://omim.org/entry/610443>

Sources for This Summary

- Dubourg C, Sanlaville D, Doco-Fenzy M, Le Caignec C, Missirian C, Jaillard S, Schluth-Bolard C, Landais E, Boute O, Philip N, Toutain A, David A, Edery P, Moncla A, Martin-Coignard D, Vincent-Delorme C, Mortemousque I, Duban-Bedu B, Drunat S, Beri M, Mosser J, Odent S, David V, Andrieux J. Clinical and molecular characterization of 17q21.31 microdeletion syndrome in 14 French patients with mental retardation. *Eur J Med Genet.* 2011 Mar-Apr;54(2):144-51. doi: 10.1016/j.ejmg.2010.11.003. Epub 2010 Nov 20.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21094706>
- Egger JI, Wingbermühle E, Verhoeven WM, Dijkman M, Radke S, de Bruijn ER, de Vries B, Kessels RP, Koolen D. Hypersociability in the behavioral phenotype of 17q21.31 microdeletion syndrome. *Am J Med Genet A.* 2013 Jan;161A(1):21-6. doi: 10.1002/ajmg.a.35652. Epub 2012 Nov 20.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23169757>
- GeneReview: KANSL1-Related Intellectual Disability Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK24676>
- Itsara A, Vissers LE, Steinberg KM, Meyer KJ, Zody MC, Koolen DA, de Ligt J, Cuppen E, Baker C, Lee C, Graves TA, Wilson RK, Jenkins RB, Veltman JA, Eichler EE. Resolving the breakpoints of the 17q21.31 microdeletion syndrome with next-generation sequencing. *Am J Hum Genet.* 2012 Apr 6;90(4):599-613. doi: 10.1016/j.ajhg.2012.02.013.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22482802>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3322237/>
- Koolen DA, Kramer JM, Neveling K, Nillesen WM, Moore-Barton HL, Elmslie FV, Toutain A, Amiel J, Malan V, Tsai AC, Cheung SW, Gilissen C, Verwiel ET, Martens S, Feuth T, Bongers EM, de Vries P, Scheffer H, Vissers LE, de Brouwer AP, Brunner HG, Veltman JA, Schenck A, Yntema HG, de Vries BB. Mutations in the chromatin modifier gene KANSL1 cause the 17q21.31 microdeletion syndrome. *Nat Genet.* 2012 Apr 29;44(6):639-41. doi: 10.1038/ng.2262.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22544363>

- Koolen DA, Sharp AJ, Hurst JA, Firth HV, Knight SJ, Goldenberg A, Saugier-Weber P, Pfundt R, Vissers LE, Destrée A, Grisart B, Rooms L, Van der Aa N, Field M, Hackett A, Bell K, Nowaczyk MJ, Mancini GM, Poddighe PJ, Schwartz CE, Rossi E, De Gregori M, Antonacci-Fulton LL, McLellan MD 2nd, Garrett JM, Wiechert MA, Miner TL, Crosby S, Ciccone R, Willatt L, Rauch A, Zenker M, Aradhya S, Manning MA, Strom TM, Wagenstaller J, Krepischi-Santos AC, Vianna-Morgante AM, Rosenberg C, Price SM, Stewart H, Shaw-Smith C, Brunner HG, Wilkie AO, Veltman JA, Zuffardi O, Eichler EE, de Vries BB. Clinical and molecular delineation of the 17q21.31 microdeletion syndrome. *J Med Genet.* 2008 Nov;45(11):710-20. doi: 10.1136/jmg.2008.058701. Epub 2008 Jul 15. Erratum in: *J Med Genet.* 2009 Aug;46(8):576.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18628315>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3071570/>
- Koolen DA, Vissers LE, Pfundt R, de Leeuw N, Knight SJ, Regan R, Kooy RF, Reyniers E, Romano C, Fichera M, Schinzel A, Baumer A, Anderlid BM, Schoumans J, Knoers NV, van Kessel AG, Sistermans EA, Veltman JA, Brunner HG, de Vries BB. A new chromosome 17q21.31 microdeletion syndrome associated with a common inversion polymorphism. *Nat Genet.* 2006 Sep;38(9):999-1001. Epub 2006 Aug 13.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16906164>
- Sharkey FH, Morrison N, Murray R, Iremonger J, Stephen J, Maher E, Tolmie J, Jackson AP. 17q21.31 microdeletion syndrome: further expanding the clinical phenotype. *Cytogenet Genome Res.* 2009;127(1):61-6. doi: 10.1159/000279260. Epub 2010 Jan 27.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20110647>
- Stefansson H, Helgason A, Thorleifsson G, Steinthorsdottir V, Masson G, Barnard J, Baker A, Jonasdottir A, Ingason A, Gudnadottir VG, Desnica N, Hicks A, Gylfason A, Gudbjartsson DF, Jonsdottir GM, Sainz J, Agnarsson K, Birgisdottir B, Ghosh S, Olafsdottir A, Cazier JB, Kristjansson K, Frigge ML, Thorgeirsson TE, Gulcher JR, Kong A, Stefansson K. A common inversion under selection in Europeans. *Nat Genet.* 2005 Feb;37(2):129-37. Epub 2005 Jan 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15654335>
- Tan TY, Aftimos S, Worgan L, Susman R, Wilson M, Ghedia S, Kirk EP, Love D, Ronan A, Darmanian A, Slavotinek A, Hogue J, Moeschler JB, Ozmore J, Widmer R, Bruno D, Savarirayan R, Peters G. Phenotypic expansion and further characterisation of the 17q21.31 microdeletion syndrome. *J Med Genet.* 2009 Jul;46(7):480-9. doi: 10.1136/jmg.2008.065391. Epub 2009 May 15. Erratum in: *J Med Genet.* 2009 Aug;46(8):576. Bruno, Damien [added].
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19447831>
- Zollino M, Orteschi D, Murdolo M, Lattante S, Battaglia D, Stefanini C, Mercuri E, Chiurazzi P, Neri G, Marangi G. Mutations in KANSL1 cause the 17q21.31 microdeletion syndrome phenotype. *Nat Genet.* 2012 Apr 29;44(6):636-8. doi: 10.1038/ng.2257.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22544367>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/koolen-de-vries-syndrome>

Reviewed: March 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services